## **Children's Cancer Centre (RCH) Platelet Order Form**

Contact Person: Associate Unit Manager (AUM) Contact Details: page 7971

Date:

RCH Blood Bank Fax 9345 5817

**Attention ARCBS**: please contact RCH Blood Bank on **9345 5829** with any queries regarding platelet groups.

Page requesting Dr. or AUM via RCH switch **9345 5522** if any clinical questions arise of to notify of delays.

Patient Details	Clinical/Doctor D	etails	Platelet Product Details	Comments	
			Indicate preferred product & number required (refer to ordering guidelines overleaf)		
	Diagnosis  Blood Group (ABO & RhD)	Weight  Platelet count	1 Platelets (40-60ml) 2 Pooled 3 Apheresis (adult dose) 4. Apheresis, Paediatric		
Affix Bradma label here	Doctor: Pager:	Bleeding □ Febrile □ Procedure □	1, 2, 3 or 4 of 4  Date/Time required: (Indicate if urgent)		
Affix Bradma label here	Diagnosis  Blood Group (ABO & RhD)  Doctor:  Pager:	Weight  Platelet count  Bleeding □ Febrile □ Procedure □	1 Platelets (40-60ml) 2 Pooled 3 Apheresis (adult dose) 4 Apheresis, Paediatric 1, 2, 3 or 4 of 4  Date/Time required: (Indicate if urgent)		
	Diagnosis  Blood Group (ABO & RhD)	Weight  Platelet count	1 Platelets (40-60ml) 2 Pooled 3 Apheresis (adult dose) 4 Apheresis, Paediatric		
Affix Bradma label here	Doctor: Pager:	Bleeding □ Febrile □ Procedure □	1, 2, 3 or 4 of 4  Date/Time required: (Indicate if urgent)		

**INPATIENTS:** Fax requests daily to RCH Blood Bank on 5817 at **1300 hrs**. **OUTPATIENTS:** Please place orders with RCH blood bank by telephoning Xn 5829

Reference:

Doc No. BB-F-125 Version 4 Date Issued: 19.04.2006

## **Guide for Platelet Product Selection and Dose**

PLATELET PRODUCT	<10kg <sup>1</sup>	10-20kg	20-30kg	30-40kg	>40kg
PLATELETS Leucocyte Depleted Irradiated (Volume 40-60mL)	1	2	3	4	5
PLATELETS Apheresis Paediatric Leucocyte Depleted Irradiated Part 1,2,3,or 4 of 4 (Volume 40-50mL)	1	2	3	4	4
PLATELETS POOLED In T-Sol Leucocyte Depleted Irradiated (Volume >160mL - an adult dose)	NO	NO	NO	NO	1
PLATELETS Apheresis Leucocyte Depleted Irradiated (Volume >100mL - an adult dose)	NO	NO	NO	NO	1
PLATELETS Apheresis Leucocyte Depleted Irradiated Part 1or 2 of 2 (each part is an adult dose)	NO	NO	NO	1	1

1 For neonates give as a dose of 5-10ml/kg, for infants of 5-10 kg in weight transfuse the contents of the pack

- If a platelet pack suitable for an infant or small child is not available transfuse using PLATELETS APHERESIS or PLATELETS POOLED at a dose of 5-10 ml/kg given over 2-3 hours.
- In some patients, limiting donor exposure to prevent alloimmunisation is vitally important eg severe aplastic anaemia. In these patients, an apheresis product should be selected when it is available, rather than a pooled product or multiple individual products.

<sup>\*\*</sup>Note further details available at the RCH Blood Transfusion Website http://www.rch.org.au/bloodtrans/ Contact patient's consultant &/or the hematologist on call (via switch) if assistance is required with product selection.