



Victorian Children’s
Tool for Observation
and Response

12–18
years

UR NUMBER

SURNAME

GIVEN NAME(S)

DATE OF BIRTH

AFFIX PATIENT LABEL HERE ↑

Hospital _____

Frequency of Observations

Observations should be performed routinely at least 4 hourly, unless advised below							
Refer to local procedure for who can alter frequency							
Date	(e.g.) 6/4/25						
Frequency	2/24						
Name/Designation	Smith RN						

Events/Comments

Record event details, including comments, interventions and parental concerns

	Date	Time		Initial	Designation
A					
B					
C					
D					
E					
F					
G					
H					

O₂ Device NP = nasal prongs, HM = Hudson mask, HNP = humidified nasal prongs, HFNP = high flow nasal prongs

Assessment of Respiratory Distress

	Mild	Moderate	Severe
Airway	• Stridor on exertion/crying	• Some stridor at rest	• Stridor at rest
Behaviour and feeding	• Normal • Talks in sentences	• Some/intermittent irritability • Difficultly talking/crying • Difficultly feeding or eating	• Increased irritability and/or lethargy • Looks exhausted • Unable to talk or cry • Unable to feed or eat
Respiratory rate	• Mildly increased	• Respiratory rate in orange zone	• Respiratory rate in purple zone • Increased or markedly reduced respiratory rate as the child tires
Accessory muscle use	• Mild intercostal and suprasternal recession	• Moderate intercostal and suprasternal recession • Nasal flaring	• Marked intercostal, suprasternal and sternal recession
Oxygen	• No oxygen requirement	• Mild hypoxemia corrected by oxygen • Increasing oxygen requirement	• Hypoxemia may not be corrected by oxygen
Other		• May have brief apnoeas	• Gasping, grunting • Extreme pallor, cyanosis • Increasingly frequent or prolonged apnoeas

Note, not all respiratory assessment features are relevant to all conditions

Refer to your local procedure for instructions on **how** to call for assistance and escalate care

MANDATORY EMERGENCY CALL
Choose MET or other Code response

Response criteria

- Apnoea or cyanosis
- Cardiac or respiratory arrest
- Airway threat
- Prolonged convulsion
- Sudden decrease in conscious state
- Any observation in the purple zone
- 3 or more simultaneous orange zone criteria
- Staff member is very worried about the child's clinical state
- A family member is very worried about the child's clinical state

Actions required

1. Place emergency call
2. Initiate appropriate clinical care until the arrival of the emergency response team
3. Emergency response team to attend immediately, stabilise patient and/or provide advice
4. Emergency response team to document management plan

CLINICAL REVIEW RECOMMENDED

Response criteria

- Any observation in the orange zone
- Staff member is worried about the child's clinical state
- A family member is worried about the child's clinical state

Actions required

1. Initiate appropriate clinical care
 2. Consider what is usual for the child and if the trend in observations suggests deterioration
 3. Consult with nurse in charge, decide if a medical review is required
 - 4. Medical review**
 - Increase frequency of observations as indicated by the child's condition
 - If not attended within 30 minutes, escalate to emergency call
 - Medical officer to document management plan
- OR**
- 4. No medical review**
 - Document rationale & plan of care in Events/Comments

General Instructions

You MUST record baseline observations, including blood pressure, on admission and thereafter:

- At a frequency appropriate for the child's clinical state
- Whenever staff or family members are worried about the child's clinical state
- If the child is deteriorating

Level of Consciousness should be documented using the AVPU scale, **except** for children receiving sedation, where a Level of Sedation score should be recorded.

Select a Pain Assessment tool appropriate for the age, developmental level and clinical state of the child. Refer to the website and/or the RCH clinical practice guidelines for pain tools.

Show the Trend: Plot the Dot – Join the Line

This chart is specifically designed to enhance the identification of trends in vital signs. It is important to look for worsening trends and report these.

When graphing observations, place a dot in the box and connect it to the previous dot with a straight line. For blood pressure use the symbols indicated on the chart. For SpO₂ write the number in the appropriate section.

Whenever an observation falls within an orange zone or purple zone, you MUST initiate the actions required for that colour, unless a modification has been made.

Modifications — refer to your local procedure for altering calling criteria.

Level of Sedation (UMSS – University of Michigan Scoring System)

ONLY complete if sedation administered

- 0 = Awake and alert
- 1 = Minimally sedated: may appear tired/sleepy, responds to verbal conversation and/or sound
- 2 = Moderately sedated: somnolent/sleeping, easily roused with tactile stimulation or simple verbal command
- 3 = Deep sedation: deep sleep, rousable only with deep or physical stimulation
- 4 = Unrousable



The ViCTOR project is supported by the Victorian Government

Drill holes where indicated by die cut colour.
Do not print.

Victorian Children’s Tool for
Observation and Response

12–18
years

Actual age:

Weight:

Surname:

Given name:

AFFIX PATIENT LABEL OVER PAGE

Date																																										
Time																																										
Staff initial (with each set of obs)																																										
Family/ Carer Concern Are you worried your child is getting worse?																																										
Please record reason for concern in the Events/Comments section. Record as 'U' if a family member or carer is unavailable.																																										
O₂ Saturation (%) Modifications <table><tr><td>Purple</td><td></td><td></td></tr><tr><td>Orange</td><td></td><td></td></tr><tr><td>Duration (maximum 24 hrs)</td><td></td><td></td></tr><tr><td>Date</td><td></td><td></td></tr><tr><td>Time</td><td></td><td></td></tr><tr><td>Dr</td><td></td><td></td></tr><tr><td>Signature</td><td></td><td></td></tr></table>		Purple			Orange			Duration (maximum 24 hrs)			Date			Time			Dr			Signature			≥94 90–93 ≤89 O₂ delivery L/min or % Device Probe change ≥94 90–93 ≤89 O₂ delivery L/min or % Device Probe change																			
Purple																																										
Orange																																										
Duration (maximum 24 hrs)																																										
Date																																										
Time																																										
Dr																																										
Signature																																										
Respiratory Rate (breaths/min) Modifications <table><tr><td>Purple</td><td></td><td></td></tr><tr><td>Orange</td><td></td><td></td></tr><tr><td>Duration (maximum 24 hrs)</td><td></td><td></td></tr><tr><td>Date</td><td></td><td></td></tr><tr><td>Time</td><td></td><td></td></tr><tr><td>Dr</td><td></td><td></td></tr><tr><td>Signature</td><td></td><td></td></tr></table>		Purple			Orange			Duration (maximum 24 hrs)			Date			Time			Dr			Signature			Write ≥40 38 36 34 32 30 28 26 24 22 20 18 16 14 12 10 8 Write ≥40 38 36 34 32 30 28 26 24 22 20 18 16 14 12 10 8																			
Purple																																										
Orange																																										
Duration (maximum 24 hrs)																																										
Date																																										
Time																																										
Dr																																										
Signature																																										
Respiratory Distress (see legend over page)		Severe Moderate Mild Nil Severe Moderate Mild Nil																																								
Heart Rate (beats/min) Modifications <table><tr><td>Purple</td><td>(e.g.) 140</td><td></td></tr><tr><td>Orange</td><td>125</td><td></td></tr><tr><td>Duration (maximum 24 hrs)</td><td>4 / 24</td><td></td></tr><tr><td>Date</td><td>6 / 4 / 25</td><td></td></tr><tr><td>Time</td><td>1600</td><td></td></tr><tr><td>Dr</td><td>Smith</td><td></td></tr><tr><td>Signature</td><td>Smith</td><td></td></tr></table>		Purple	(e.g.) 140		Orange	125		Duration (maximum 24 hrs)	4 / 24		Date	6 / 4 / 25		Time	1600		Dr	Smith		Signature	Smith		Write ≥160 155 150 145 140 135 130 125 120 115 110 105 100 95 90 85 80 75 70 65 60 55 50 45 Write ≤40 155 150 145 140 135 130 125 120 115 110 105 100 95 90 85 80 75 70 65 60 55 50 45																			
Purple	(e.g.) 140																																									
Orange	125																																									
Duration (maximum 24 hrs)	4 / 24																																									
Date	6 / 4 / 25																																									
Time	1600																																									
Dr	Smith																																									
Signature	Smith																																									
Blood Pressure $\times$ (mmHg) systolic BP is the trigger Modifications <table><tr><td>Purple</td><td></td><td></td></tr><tr><td>Orange</td><td></td><td></td></tr><tr><td>Duration (maximum 24 hrs)</td><td></td><td></td></tr><tr><td>Date</td><td></td><td></td></tr><tr><td>Time</td><td></td><td></td></tr><tr><td>Dr</td><td></td><td></td></tr><tr><td>Signature</td><td></td><td></td></tr></table>		Purple			Orange			Duration (maximum 24 hrs)			Date			Time			Dr			Signature			Write ≥170 165 160 155 150 145 140 135 130 125 120 115 110 105 100 95 90 85 80 75 70 65 60 Write ≤55 165 160 155 150 145 140 135 130 125 120 115 110 105 100 95 90 85 80 75 70 65 60																			
Purple																																										
Orange																																										
Duration (maximum 24 hrs)																																										
Date																																										
Time																																										
Dr																																										
Signature																																										
Temperature (C°) Reportable limits—if applicable, refer to local procedures <table><tr><td>Temp ≥ (e.g.) 39.5</td><td></td><td></td></tr><tr><td>Temp ≤ —</td><td></td><td></td></tr><tr><td>Date 6 / 4 / 25</td><td></td><td></td></tr><tr><td>Time 1800</td><td></td><td></td></tr><tr><td>Dr Smith</td><td></td><td></td></tr><tr><td>Signature Smith</td><td></td><td></td></tr></table>		Temp ≥ (e.g.) 39.5			Temp ≤ —			Date 6 / 4 / 25			Time 1800			Dr Smith			Signature Smith			Write ≥40 39.5 39 38.5 38 37.5 37 36.5 36 35.5 35 Write ≥40 39.5 39 38.5 38 37.5 37 36.5 36 35.5 35																						
Temp ≥ (e.g.) 39.5																																										
Temp ≤ —																																										
Date 6 / 4 / 25																																										
Time 1800																																										
Dr Smith																																										
Signature Smith																																										
Level of Consciousness (wake patient before scoring)		Alert Verbal Pain Unresponsive Alert Verbal Pain Unresponsive																																								
Level of Sedation (ONLY complete if sedation administered) (wake patient before scoring, see legend on back page)		0 1 2 3 4 0 1 2 3 4																																								
Pain Score ☐ FLACC ☐ Faces ☐ Numeric (please tick tool) (see general instructions)		8–10 4–7 1–3 Nil 8–10 4–7 1–3 Nil																																								
Additional Observations (e.g. BSL, weight, capillary refill time)																																										
Events/Comments (e.g. A, see over page)																																										

Observations to be plotted with a dot and joined with a line (except SpO₂ and BP)